
Mitsubishi

Select the model:

Model Spacegear

Model Spacewagon

Model Spacestar

Model Charisma

Model Colt

Model Lancer

Model Pajero before model 2000




Model Pajero model 2000

Model Shogun before model 2000

Model Shogun model 2000

Model Spacegear


Use this board and clip:




- Remove the cluster and open it.
- Look for the silver crystal and join its contacts.
- Look for the 8 pin chip 93C46 or S130.
- Connect the clip to port 1.
- Put the clip on the chip 93C46 or S130 (red on pin 1).
- Select the menu **Mitsubishi-Spacegear**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM**.
- Enter the new value.
- Verify the new value with **OK**.

Model Spacewagon

Use this board and cable:





- Remove the cluster and open it.
- Connect the cables as shown in the picture.
- Connect the clip to port 1.
- 10. Select the menu **Mitsubishi-Spacewagon**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM.**
- Enter the new value.
- Verify the new value with **OK.**



Model Spacestar



Use this board and clip:



- Remove the cluster and open it.
- Look for the silver crystal and join its contacts.
- Look for the 8 pin chip 93C46 or S130.
- Connect the clip to port 1.
- Put the clip on the chip 93C46 or S130 (red on pin 1).
- Select the menu **Mitsubishi-Spacestar**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM.**
- Enter the new value.
- Verify the new value with **OK.**

Model Charisma



Use this board and clip:



- Remove the cluster and open it.
- Look for the 8 pin chip 93C46 or OKI.
- Unsolder this chip.
- Connect the clip to port 0.
- Put the clip on the chip 93C46 or OKI.... (red on pin 1).
- Select the menu **Mitsubishi-Charisma**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM.**
- Enter the new value.
- Verify the new value with **OK.**

Model Colt



Use this board and clip:



- Remove the cluster and open it.
- Look for the 8 pin chip 93C46.
- Unsolder this chip.
- Connect the clip to port 0.
- Put the clip on the chip 93C46 (red on pin 1).
- Select the menu **Mitsubishi-Colt**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM.**
- Enter the new value.
- Verify the new value with **OK.**

Model Lancer



Use this board and clip:



- Remove the cluster and open it.
- Look for the 8 pin chip 93C46 or AD0970.
- Look for the silver chrystal and join its contacts.
- Connect the clip to port 1.
- Put the clip on the chip 93C46 or AD0970 (red on pin 1).
- Select the menu **Mitsubishi-Lancer**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM.**
- Enter the new value.
- Verify the new value with **OK.**

Model Pajero before model 2000



Use this board and clip:



- Remove the cluster and open it.
- Look for the 8 pin chip 93C46.
- Look for the silver chrystal and join its contacts.
- Connect the clip to port 1.
- Put the clip on the chip 93C46 (red on pin 1).
- Select the menu **Mitsubishi-Pajero-93C46**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM.**
- Enter the new value.
- Verify the new value with **OK.**

Model Pajero model 2000



Use this board and clip:



- Remove the cluster and open it.
- Look for the silver crystal and join its contacts.
- Look for the 8 pin chip 93C56.
- Connect the clip to port 1.
- Put the clip on the chip 93C56 (red on pin 1).
- Select the menu **Mitsubishi-Pajero-93C56**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM.**
- Enter the new value.
- Verify the new value with **OK.**

Model Shogun before model 2000



Use this board and clip:



- Remove the cluster and open it.
- Look for the 8 pin chip 93C46.
- Look for the silver chrystal and join its contacts.
- Connect the clip to port 1.
- Put the clip on the chip 93C46 (red on pin 1).
- Select the menu **Mitsubishi-Shogun-93C46**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM.**
- Enter the new value.
- Verify the new value with **OK.**

Model Shogun model 2000

Use this board and clip:



- Remove the cluster and open it.
- Look for the silver crystal and join its contacts.
- Look for the 8 pin chip 93C56.
- Connect the clip to port 1.
- Put the clip on the chip 93C56 (red on pin 1).
- Select the menu **Mitsubishi-Shogun-93C56**
- The Tacho Universal shows you the old value.
- Select the menu **Adjust KM.**
- Enter the new value.
- Verify the new value with **OK.**